

QUALED | LED GU10 8.0W-74/79W D 2700/3000K 35D 530/570LM

- GU10 Socket
- 220-240V
- 40,000 hours Lifetime
- Dimmable
- 89% Energy Saving
- Luminous Flux 90° Cone: 530/570 lm
- Equivalent to 74W incandescent bulb
- CRI \geq 90
- Flicker-free
- 5 Years Warranty



Product Number	52350/52351
General Data	
Lamp Socket	GU10
Electric Data	
Wattage (W)	8.0
Wattage Equivalent (W)	74/79
Voltage (V)	220-240V
Dimmable	yes
Power Factor	≥ 0.9
Operating Frequency (Hz)	50/60
Geometric Data	
Length (mm)	57
Diameter (mm)	50
Weight (g)	56
Photometric Data	
Luminous Flux (lm)	570/620
Luminous Flux 90° Cone (lm)	530/570
CRI	90
CCT (K)	2700/3000
Luminous Intensity (cd)	1100/1170
Beam Angle (°)	35
Luminous Efficacy (lm/W)	71/78
Lifetime (hrs)	40.000
Switching Cycle	100.000
Operating Temperature	-20°C to 40°C




Product image



Application image



Energy Rating



Technical Packaging Details

Package

Single

Package

4

Pack Dimensions (HxWxL)

67 x 51 x 51 (mm)

Pack Weight

70(g)

MOQ

10

Carton Dimensions (HxWxL)

60 x 145 x 280 (mm)

Cartons/Pallet

221

Layers/Pallet

13

Units/Pallet

2210



Photometric Diagrams

